

2020-02-06 Novel Coronavirus Daily Article List

Articles publiés ou *In press*

15 références

- [1] Baruah V, Bose S. Immunoinformatics-aided identification of T cell and B cell epitopes in the surface glycoprotein of 2019-nCoV. J Med Virol. 2020;10.1002/jmv.25698.
<https://onlinelibrary.wiley.com/doi/abs/10.1002/jmv.25698>
- [2] Chen L, Liu W, Zhang Q, Xu K, Ye G, Wu W, et al. RNA based mNGS approach identifies a novel human coronavirus from two individual pneumonia cases in 2019 Wuhan outbreak. Emerg Microbes Infect. 2020;9(1):313-9.
<https://www.tandfonline.com/doi/pdf/10.1080/22221751.2020.1725399?needAccess=true>
- [3] Chen P, Mao L, Nassis GP, Harmer P, Ainsworth BE, Li F. Opinion Wuhan coronavirus (2019-nCoV): The need to maintain regular physical activity while taking precautions. Journal of Sport and Health Science. 2020.
<https://www.sciencedirect.com/science/article/pii/S2095254620300144>
- [4] del Rio C, Malani PN. 2019 Novel Coronavirus—Important Information for Clinicians. JAMA. 2020.
<https://jamanetwork.com/journals/jama/fullarticle/2760782>
- [5] Duarte R, Furtado I, Sousa L, Carvalho CFA. The 2019 Novel Coronavirus (2019-nCoV): Novel Virus, Old Challenges. Acta Med Port. 2020;10.20344/amp.13547.
<https://actamedicaportuguesa.com/revista/index.php/amp/article/download/13547/5872>
- [6] Eurosurveillance Editorial T. Note from the editors: World Health Organization declares novel coronavirus (2019-nCoV) sixth public health emergency of international concern. Euro surveillance : bulletin Européen sur les maladies transmissibles = European communicable disease bulletin. 2020;10.2807/1560-7917.ES.2020.25.5.200131e.
<https://www.eurosurveillance.org/content/10.2807/1560-7917.ES.2020.25.5.200131e>
- [7] Giovanetti M, Benvenuto D, Angeletti S, Ciccozzi M. The first two cases of 2019-nCoV in Italy: where they come from? J Med Virol. 2020;10.1002/jmv.25699.
<https://onlinelibrary.wiley.com/doi/abs/10.1002/jmv.25699>
- [8] Habibzadeh P, Stoneman EK. The Novel Coronavirus: A Bird's Eye View. Int J Occup Environ Med. 2020;11(2):65-71.
<https://www.theijoem.com/ijoem/index.php/ijoem/article/download/1921/1195>
- [9] Kang L, Li Y, Hu S, Chen M, Yang C, Yang BX, et al. The mental health of medical workers in Wuhan, China dealing with the 2019 novel coronavirus. The Lancet Psychiatry.
[https://www.thelancet.com/journals/lanpsy/article/PIIS2215-0366\(20\)30047-X/fulltext](https://www.thelancet.com/journals/lanpsy/article/PIIS2215-0366(20)30047-X/fulltext)

- [10] Liu W, Morse JS, Lalonde T, Xu S. Learning from the Past: Possible Urgent Prevention and Treatment Options for Severe Acute Respiratory Infections Caused by 2019-nCoV. *Chembiochem*. 2020:10.1002/cbic.202000047.
<https://onlinelibrary.wiley.com/doi/abs/10.1002/cbic.202000047>
- [11] Qiu T, Mao T, Wang Y, Zhou M, Qiu J, Wang J, et al. Identification of potential cross-protective epitope between 2019-nCoV and SARS virus. *Journal of Genetics and Genomics*. 2020.
<https://www.sciencedirect.com/science/article/pii/S1673852720300138>
- [12] Tuite AR, Fisman DN. Reporting, Epidemic Growth, and Reproduction Numbers for the 2019 Novel Coronavirus (2019-nCoV) Epidemic. *Ann Intern Med*. 2020:10.7326/M20-0358.
<https://annals.org/aim/fullarticle/2760912/reporting-epidemic-growth-reproduction-numbers-2019-novel-coronavirus-2019-ncov>
- [13] Wang M, Cao R, Zhang L, Yang X, Liu J, Xu M, et al. Remdesivir and chloroquine effectively inhibit the recently emerged novel coronavirus (2019-nCoV) in vitro. *Cell Res*. 2020:10.1038/s41422-020-0282-0.
<https://www.nature.com/articles/s41422-020-0282-0>
- [14] Wilson ME. What goes on board aircraft? Passengers include Aedes, Anopheles, 2019-nCoV, dengue, Salmonella, Zika, et al. *Travel Medicine and Infectious Disease*. 2020:101572.
<http://www.sciencedirect.com/science/article/pii/S1477893920300223>
- [15] Zumla A, Hui DS, Azhar EI, Memish ZA, Maeurer M. Reducing mortality from 2019-nCoV: host-directed therapies should be an option. *The Lancet*.
[https://www.thelancet.com/journals/lancet/article/PIIS0140-6736\(20\)30305-6/fulltext](https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(20)30305-6/fulltext)

Preprints

13 références

[Un rappel : il s'agit de rapports préliminaires qui n'ont pas fait l'objet d'un examen par les pairs. Ils ne doivent pas être considérés comme concluants, ni guider la pratique clinique ou les comportements liés à la santé, ni être présentés dans les médias comme des informations établies.]

- [1] Ai S, Zhu G, Tian F, Li H, Gao Y, Wu Y, et al. Population movement, city closure and spatial transmission of the 2019-nCoV infection in China. *medRxiv*. 2020:2020.02.04.20020339.
<https://www.medrxiv.org/content/medrxiv/early/2020/02/05/2020.02.04.20020339.full.pdf>
- [2] Bai Y, Nie X, Wen C. Epidemic Prediction of 2019-nCoV in Hubei Province and Comparison with SARS in Guangdong Province. [preprint].
https://papers.ssrn.com/sol3/papers.cfm?abstract_id=3531427
- [3] Boldog P, Tekeli T, Vizi Z, Denes A, Barthá F, Rost G. Risk assessment of novel coronavirus 2019-nCoV outbreaks outside China. *medRxiv*. 2020:2020.02.04.20020503.
<https://www.medrxiv.org/content/medrxiv/early/2020/02/05/2020.02.04.20020503.full.pdf>

- [4] Chowell G, Dhillon R, Srikrishna D. Getting to zero quickly in the 2019-nCov epidemic with vaccines or rapid testing. medRxiv. 2020:2020.02.03.20020271.
<https://www.medrxiv.org/content/medrxiv/early/2020/02/05/2020.02.03.20020271.full.pdf>
- [5] De Salazar PM, Niehus R, Taylor A, Buckee CO, Lipsitch M. Using predicted imports of 2019-nCoV cases to determine locations that may not be identifying all imported cases. medRxiv. 2020:2020.02.04.20020495.
<https://www.medrxiv.org/content/medrxiv/early/2020/02/05/2020.02.04.20020495.full.pdf>
- [6] Gao Y, Liu Q. The Epidemic Dynamics of 2019 Novel Coronavirus (2019-nCoV) Infections in China by 28 January. [Preprints with The Lancet] 2020.
https://papers.ssrn.com/sol3/papers.cfm?abstract_id=3529448
- [7] He X, Zhang L, Ran Q, Xiong A, Wang J, Wu D, et al. Integrative Bioinformatics Analysis Provides Insight into the Molecular Mechanisms of 2019-nCoV. medRxiv. 2020:2020.02.03.20020206.
<https://www.medrxiv.org/content/medrxiv/early/2020/02/05/2020.02.03.20020206.full.pdf>
- [8] Hermanowicz SW. Forecasting the Wuhan coronavirus (2019-nCoV) epidemics using a simple (simplistic) model. medRxiv. 2020:2020.02.04.20020461.
<https://www.medrxiv.org/content/medrxiv/early/2020/02/05/2020.02.04.20020461.full.pdf>
- [9] Jin G, Yu J, Han L, Duan S. The impact of traffic isolation in Wuhan on the spread of 2019-nCoV. medRxiv. 2020:2020.02.04.20020438.
<https://www.medrxiv.org/content/medrxiv/early/2020/02/05/2020.02.04.20020438.full.pdf>
- [10] Kang M, Wu J, Ma W, He J, Lu J, Liu T, et al. Human-to-human transmission of 2019-novel coronavirus (2019-nCoV). medRxiv. 2020:2020.02.03.20019141.
<https://www.medrxiv.org/content/medrxiv/early/2020/02/05/2020.02.03.20019141.full.pdf>
- [11] Lai S, Bogoch I, Ruktanonchai N, Watts A, Li Y, Yu J, et al. Assessing spread risk of Wuhan novel coronavirus within and beyond China, January-April 2020: a travel network-based modelling study. medRxiv. 2020:2020.02.04.20020479.
<https://www.medrxiv.org/content/medrxiv/early/2020/02/05/2020.02.04.20020479.full.pdf>
- [12] Liu Z, Magal P, Seydi O, Webb G. Understanding unreported cases in the 2019-nCov epidemic outbreak in Wuhan, China, and the importance of major public health interventions. [preprint].
https://papers.ssrn.com/sol3/papers.cfm?abstract_id=3530969
- [13] Zhou Y, Hou Y, Shen J, Huang Y, Martin W, Cheng F. Network-based Drug Repurposing for Human Coronavirus. medRxiv. 2020:2020.02.03.20020263.
<https://www.medrxiv.org/content/medrxiv/early/2020/02/05/2020.02.03.20020263.full.pdf>

Documents gouvernementaux

5 références

- [1] Australian Government. Department of health. Nouvelles fiches d'information mises en ligne le 6/02/2020. Australian Government. Department of health; 2020. [consulté le 06/02/2020].
https://www.health.gov.au/resources?search_api_views_fulltext=2019-nCoV
- [2] Patel A, Jernigan DB, 2019-nCoV CDC Response Team. Initial Public Health Response and Interim Clinical Guidance for the 2019 Novel Coronavirus Outbreak — United States, December 31, 2019–February 4, 2020. MMWR Morb Mortal Wkly Rep. 2020.
https://www.cdc.gov/mmwr/volumes/69/wr/mm6905e1.htm?s_cid=mm6905e1_w
- [3] Public Health England. Investigation and initial clinical management of possible cases of novel coronavirus (2019-nCoV) infection. Guidance [Mis à jour le 04/02/2020] [En ligne]. : Public Health England; 2020.; [consulté le 06/02/2020].
<https://www.gov.uk/government/publications/wuhan-novel-coronavirus-initial-investigation-of-possible-cases/investigation-and-initial-clinical-management-of-possible-cases-of-wuhan-novel-coronavirus-wn-cov-infection>
- [4] Public Health England. Management of a suspected case of 2019-nCoV acute respiratory disease (Flow chart) v.2[Mis à jour le 04/02/2020] [En ligne]. : Public Health England; 2020. [consulté le 06/02/2020].
https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/863373/2019-nCoV_Flow_chart_v2_4_Feb.pdf
- [5] Public Health England. Novel coronavirus (2019-nCoV): guidance for sampling and for diagnostic laboratories [Mis à jour le 05/02/2020] [En ligne]. : Public Health England; 2020. [consulté le 06/02/2020].
<https://www.gov.uk/government/publications/wuhan-novel-coronavirus-guidance-for-clinical-diagnostic-laboratories>

Articles en chinois

6 références

[Un résumé en anglais est disponible]

- [1] Gao ZC. [Efficient management of novel coronavirus pneumonia by efficient prevention and control in scientific manner] (article in chinese). Zhonghua Jie He He Hu Xi Za Zhi. 2020;43(0):E001-E.
<https://www.ncbi.nlm.nih.gov/pubmed/32023684>
- [2] Li H, Wang YM, Xu JY, Cao B. [Potential antiviral therapeutics for 2019 Novel Coronavirus] (article in chinese). Zhonghua Jie He He Hu Xi Za Zhi. 2020;43(0):E002-E.
<https://www.ncbi.nlm.nih.gov/pubmed/32023685>
- [3] Tian HY. [2019-nCoV: new challenges from coronavirus] (article in chinese). Zhonghua Yu Fang Yi Xue Za Zhi. 2020;54(0):E001-E.
<https://www.ncbi.nlm.nih.gov/pubmed/32023682>

- [4] Working Group of Novel Coronavirus - Peking Union Medical College Hospital. [Diagnosis and clinical management of 2019 novel coronavirus infection: an operational recommendation of Peking Union Medical College Hospital (V2.0)] (article in chinese). Zhonghua Nei Ke Za Zhi. 2020;59(3):186-8. <https://www.ncbi.nlm.nih.gov/pubmed/32023681>
- [5] Xu K, Lai XQ, Liu Z. [Suggestions for prevention of 2019 novel coronavirus infection in otolaryngology head and neck surgery medical staff] (article in chinese). Zhonghua Er Bi Yan Hou Tou Jing Wai Ke Za Zhi. 2020;55(0):E001-E. <https://www.ncbi.nlm.nih.gov/pubmed/32023680>
- [6] Yang F, Liu N, Wu JY, Hu LL, Su GS, Zheng NS. [Pulmonary rehabilitation guidelines in the principle of 4S for patients infected with 2019 novel coronavirus (2019-nCoV)] (article in chinese). Zhonghua Jie He He Hu Xi Za Zhi. 2020;43(0):E004-E. <https://www.ncbi.nlm.nih.gov/pubmed/32023687>